

The Scandinavian Journal of
*Clinical & Laboratory
Investigation*

EDITED BY
THE SCANDINAVIAN SOCIETY
FOR CLINICAL CHEMISTRY
AND CLINICAL PHYSIOLOGY

MANAGING EDITOR
O. Stokke

EDITORS

J. Hartiala	K. O. Pedersen
J. H. Henriksen	I. Romslo
E. Hultman	K. Rootwelt
M. Hørder	U-H. Stenman
K. Liewendahl	

EDITORIAL SECRETARIES

K. Bjørø
T. A. Hagve

Scand. J. Clin. Lab. Invest. – Vol. 50 – 1990

BLACKWELL SCIENTIFIC PUBLICATIONS

Published for

Medisinsk Fysiologisk Forenings Forlag, Oslo by
Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
25 John Street, London WC1N 2BL
23 Ainslie Place, Edinburgh EH3 6AJ
3 Cambridge Center, Suite 208, Cambridge, MA 02142,
USA
54 University Street, Carlton, Victoria 3053, Australia

© 1990 Medisinsk Fysiologisk Forenings Forlag, Institute of
Clinical Biochemistry, Rikshospitalet, N-0027 Oslo 1.

Printed and bound in Great Britain
by the Devonshire Press, Torquay

Authorization to photocopy for internal or personal use or
the internal or personal use of specific clients is granted by
Medisinsk Fysiologisk Forenings Forlag for libraries and
other users registered with the Copyright Clearance Center
(CCC) Transactional Reporting Service, provided that the
base fee of \$05.00 per copy is paid directly to the CCC,
27 Congress Street, Salem, MA 01970, USA. This consent
does not extend to other kinds of copying, such as copying
for general distribution, for advertising or promotional
purposes, for creating new collective works or for resale.
Special requests should be addressed to the Editor.
0036-5513/90 \$05.00.

No. 1

Original Articles

Sandwich enzyme-immunoassay of human urinary trypsin inhibitor (urinastatin) and urinastatin-like immunoreactive substance in mouse urine: <i>T. Shikimi, S. Suzuki, M. Takahashi & H. Kaneto</i>	1
Functional capacity of neutrophil granulocytes in deep-sea divers: <i>H. B. Benestad, I. B. Hersleth, H. Hardersen & O. I. Molvær</i>	9
Pyrophosphate-loaded hepatocytes show increased iron uptake from transferrin: <i>T. Nilson & I. Romslo</i>	19
Effects of exercise on glomerular passage of macromolecules in patients with diabetic nephropathy and in healthy subjects: <i>I. Ala-Houhala</i>	27
Release of immunoreactive canine leukocyte elastase normally and in endotoxin and pancreatic shock: <i>L. Axelsson, M. Bergenfeldt, P. Björk, R. Olsson & K. Ohlsson</i> ...	35
Release of lipoprotein lipase and hepatic lipase activities. Effects of heparin and a low molecular weight heparin fragment: <i>E. Persson & P. Nilsson-Ehle</i>	43
Monitoring of renal allografts by Doppler ultrasound: precision and reference values: <i>K. Rasmussen & E. Pedersen</i>	51
Doppler ultrasound in the diagnosis of renal allograft rejection and in monitoring the effect of treatment: <i>K. Rasmussen & E. Pedersen</i>	57
A method for determination of normal or abnormal blood volume in patients subjected to radionuclide cardiography: <i>O. Carlsen & P. Bruun</i>	63
Lipid peroxidation and antioxidant supplementation in old age: <i>L. Schäfer & E. B. Thorling</i> ...	69
Serum ferritin and iron status in a population of 'healthy' 85-year-old individuals: <i>N. Milman, J. Ingerslev & N. Graudal</i>	77
The amino terminal portion of cerebrospinal fluid cystatin C in hereditary cystatin C amyloid angiopathy is not truncated: direct sequence analysis from agarose gel electropherograms: <i>I. Olafsson, G. Gudmundsson, M. Abrahamson, O. Jensson & A. Grubb</i>	85
Guidelines for description of immunoassay kits: <i>A. Aakvag, E. Leskinen, G. Lindstedt, J. Möller, A. Nyberg & T. Weber</i>	95
Recommendation for collection of venous blood from children, with special reference to production reference values: <i>B. Lindblad, T. Alström, A. Bo Hansen, R. Gräsbeck, H. Hertz, C. Holmberg, E. Leskinen, P. J. Moe, A. P. W. Nyberg, V. Nanto, H. E. Solberg, L. Viinikka, P. D. Wimberley & P. Winkel</i>	99

Letter to the Editor

Anorexia Nervosa and Zinc: <i>S. Røijen, U. Worssae & G. Zlotnik</i>	105
List of Referees for 1989	107
Erratum	113

No. 2

Original Articles

Vitamin D metabolites—relation to age, menopause and endometriosis: <i>D. Hartwell, P. Rødbro, S. B. Jensen, K. Thomsen & C. Christiansen</i>	115
Effect of acute vascular fluid volume expansion on erythrocyte sodium transport in essential hypertension: <i>H. Herlitz, O. K. Andersson, O. Jonsson, M. Wysocki, B. Persson & M. Aurell</i>	123
<i>In vivo</i> subcutaneous adipose tissue glucose kinetics after glucose ingestion in obesity and fasting: <i>E. Hagström, P. Arner, P. Engfeldt, S. Rossner & J. Bolinder</i>	129

No effect of bicarbonate-induced alkalosis on urea synthesis in normal man: <i>K. Bjerrum, H. Vilstrup, T. P. Almdal & L. Østergaard Kristensen</i>	137
A sensitive method for measuring ATP-formation in rat muscle mitochondria: <i>R. Wibom, A. Lundin & E. Hultman</i>	143
The effect of cobalt on mitochondrial ATP-production in the rat myocardium and skeletal muscle: <i>N. Clyne, R. Wibom, N. Havu, E. Hultman, L-E. Lins, S. K. Pehrsson, B. Persson & J. Rydström</i>	153
Glomerular filtration rate estimated by X-ray fluorescence technique in children: comparison between the plasma disappearance of $^{99}\text{Tc}^m$ -DPTA and iohexol after urography: <i>G. Stake, E. Monn, K. Rootwelt, T. Grönberg & T. Monclair</i>	161
β -Adrenoceptor responsiveness in intact leukocytes from adults and newborn infants: effect of phosphodiesterase inhibitors: <i>N. Foged, H. Bertelsen & T. Johansen</i>	169
Changes in the functional state of the erythrocyte membrane: significance for red cell filterability and blood viscosity: <i>H. Larsson, S. U. Persson & P. Hedner</i>	177
Thromboplastin activity of blood monocytes after total hip replacement: <i>Ø. P. Nygaard, K. Unneberg, O. Reikerås & B. Østerud</i>	183
Epidermal growth factor and haptocorrin in nasal secretion: <i>P. Tønnesen, L. Thim & E. Nexø</i>	187
Different behaviour of the N-terminal and C-terminal fragment of proatrial natriuretic factor in plasma of healthy subjects as well as of patients with cirrhosis: <i>A. L. Gerbes, A. M. Vollmar, G. Thibault, R. M. Arendt, M. Cantin & G. Paumgartner</i>	195
Local sympathetic reflex control of blood flow in human skin following topical corticosteroid treatment: <i>L. J. Petersen & J. K. Kristensen</i>	199
The effect of Acipimox on triacylglycerol metabolism in rat: <i>A. Al-Shurbaji, L. Berglund & I. Björkhem</i>	203
Analysis of the relation between lithium clearance and sodium clearance in rats: <i>K. Thomsen & D. G. Shirley</i>	209

Technical Notes

High- and low-affinity antibodies—some observations in relation to polyethylene glycol concentration in immunoturbidimetric assays: <i>K. Larsson</i>	217
Problems with the use of whole blood as a sample material in novel direct glucose analysers: <i>K. Savolainen, A. Viitala, E. Puhakainen & M. Väisänen</i>	221
General Scandinavian recommendations on quality control and quality assurance in clinical chemistry	225
Comments on General Scandinavian recommendations on quality control and quality assurance in clinical chemistry	227

No. 3

Review of a Scandinavian Thesis

Proopiomelanocortin: α -amidated and related peptides: <i>M. Fenger</i>	229
---	-----

Original Articles

The use of knowledge-based information systems for interpreting specialized clinical chemistry analyses—experience from erythrocyte enzymes and metabolites: <i>F. Wiener, C-H. de Verdier & T. Groth</i>	247
Reliability of the Reflotron in the determination of cholesterol: <i>R. Selmer, O. P. Foss & P. G. Lund-Larsen</i>	261

Total body potassium, skeletal muscle potassium and magnesium in patients with Bartter's syndrome: <i>A. Rudin, I. Bosaeus & I. Hessov</i>	273
Determination of glomerular filtration rate using iohexol clearance and capillary sampling: <i>E. Krutzén, S-E. Back & P. Nilsson-Ehle</i>	279
Diagnostic efficiency of lactate dehydrogenase isoenzymes in serum after acute myocardial infarction: <i>A. Jensen, Å. Reikvam & A. Åsberg</i>	285
Reversibility of the effects on local circulation of high lipid concentrations in blood: <i>J. Bülow, J. Madsen & L. Højgaard</i>	291
Blood cell filtrability: reference values and clinical applications: <i>A. Belboul, N. Al-Khaja, P. Bergman, D. Roberts & G. William-Olsson</i>	297
Increased urinary haemoglobin in diabetics with microalbuminuria—measured by an ELISA: <i>A. Schmitz</i>	303
Effect of retinoids and 1,25(OH) ₂ vitamin D ₃ bound to their plasma transport proteins on growth and differentiation of HL-60 cells: <i>M. Botilsrud, I. Holmberg, K-O. Wathne, H. K. Blomhoff, K. R. Norum & R. Blomhoff</i>	309
Solid-phase double-antibody radio-immunoassay for atrial natriuretic factor: <i>P. H. Rasmussen, M. D Nielsen & J. Giese</i>	319
Transcapillary forces in muscle compartments of lower limbs with deep venous thrombosis: <i>E. Seem & E. Stranden</i>	325
Transcapillary filtration in lower limbs with deep venous thrombosis: the role of the capillary filtration coefficient: <i>E. Steem & E. Stranden</i>	331
Decreased concentrations of deoxycholic acid in serum of uraemic patients with diarrhoea: <i>P. Stenvinkel, P. Bárány, I. Björkhem & K. Einarsson</i>	337
Isoelectric focusing of urinary metallothionein: <i>E. Felley-Bosco, P. E. Hunziker & K. Savolainen</i>	343
Plasma HMW fibrinogen in patients with ischaemic heart disease: <i>S. Munkvaad, W. Nieuwenhuizen & J. Jespersen</i>	347

No. 4

Review of a Scandinavian Thesis

Development of gangrene during sleep: <i>R. Jelles</i>	351
---	-----

Original Articles

Interactions between alkylglycerols and human neutrophil granulocytes: <i>J. Palmblad, J. Samuelsson, & J. Brohult</i>	363
Atrial natriuretic factor, angiotensin II, aldosterone, arginine vasopressin and urinary prostaglandin E ₂ excretion in hyperfiltrating unilaterally nephrectomized humans: <i>S. S. Sørensen, B. Jespersen & E. B. Pedersen</i>	371
Lack of effect of dietary potassium on renal lithium clearance in man: <i>Hla-Yee-Yee, D. G. Shirley, D. R. J. Singer, N. D. Markandu, M. G. Buckley, A L. Sugden, M. A. Miller & G. A. MacGregor</i>	379
Hormonal influence on calcitonin gene-related peptide in man: effects of sex difference and contraceptive pills: <i>S. Valdemarsson, L. Edvinsson, P. Hedner & R. Ekman</i>	385
Comparative study of assays detecting complement activation. Complement-split product C3d (rocket immuno-electrophoresis) and C3d neodeterminants (ELISA): <i>G. T. Espersen, B. Langeland & N. Grunnet</i>	389
Increased erythrocyte magnesium content in essential hypertension: <i>S. E. Kjeldsen, O. M. Sejersted, P. Frederichsen, P. Leren & I. K. Eide</i>	395

Plasma cholinesterase activity in a healthy population group with no occupational exposure to known cholinesterase inhibitors: relative influence of some factors related to normal inter- and intra-individual variations: <i>A. Brock & V. Brock</i>	401
Reproducibility of cumulative work, heart rate and blood pressure response during stepwise versus continuous load increment during a maximal bicycle ergometer test: <i>S. Michelsen</i>	409
Growth hormone (GH) therapy in GH-deficient patients, the plasma Factor VIII-von Willebrand factor complex, and capillary fragility. A double-blind, placebo-controlled crossover study: <i>J. O. L. Jørgensen, S. A. Pedersen, J. Ingerslev, J. Møller, N. E. Skakkebaek & J. S. Christiansen</i>	417
The production of tumour necrosis factor, tissue thromboplastin, lactoferrin and cathepsin C during lipopolysaccharide stimulation in whole blood: <i>T. J. Gutteberg, B. Østerud, G. Volden & T. Jørgensen</i>	421
Primary platelet activation in recent-onset type 1 diabetes mellitus: <i>A. M. Vicari & A. Macagni</i>	429
Molecular distribution of elastase between its two main inhibitors: direct quantitation of elastase- α_2 -macroglobulin complex with a novel ELISA technique: <i>E. O. Adeyemi & H. J. F. Hodgson</i>	433
Validity and interpretation of blood lead levels: a study of Danish school children: <i>T. Lyngbye, P. J. Jørgensen, P. Grandjean & O. N. Hansen</i>	441
Xenon tissue/blood partition coefficient for pig urinary bladder: <i>K. K. Nielsen, J. Bülow, S. L. Nielsen, J. Nordling & B. Kromann-Andersen</i>	451

Expert Opinion

Haemoglobin oxygen saturation and related quantities: definitions, symbols and clinical use: <i>P. D. Wimberley, O. Siggaard-Andersen, N. Fogh-Andersen, W. G. Zijlstra & J. W. Severinghaus</i>	455
---	-----

Letter to the Editor

Evidence of both decreased nuclear receptor-binding of T_3 and inhibited thyroid hormone-stimulated glucose-uptake in cells from a euthyroid patient with hyperthyroxinaemia: <i>J. Kvetny, L. E. Matzen & M. Brøns</i>	461
--	-----

No. 5

Review of a Scandinavian Thesis

Clinical evaluation of cathodic trypsin-like immunoreactivity in pancreatic diseases in adults: <i>J. Møller-Petersen</i>	463
--	-----

Original Articles

Pregnancy zone protein: a re-evaluation of serum levels in healthy women and in women suffering from breast cancer or trophoblastic disease: <i>C. M. Petersen, P. H. Jensen, A. Bukh, L. Sunde, L. U. Lamm & J. Ingerslev</i>	479
HPLC separation and quantification of bilirubin and its glucuronide conjugates in faeces and intestinal contents of germ-free rats: <i>H. Saxerholt, V. Skar & T. Midtvedt</i>	487
A review of ^{23}Na nuclear magnetic resonance spectroscopy for the <i>in vitro</i> study of cellular sodium metabolism: <i>H. Nissen, J. P. Jacobsen & M. Hørdér</i>	497
Levels of neutrophil elastase and cathepsin B activities, and cystatins in human sputum: relationship to inflammation: <i>D. J. Buttle, D. Burnett & M. Abrahamson</i>	509

Bone mass measured by photon absorptiometry: comparison of forearm, heel, and spine: <i>M. A. Hansen, B. J. Riis, K. Overgaard, C. Hassager & C. Christiansen</i> ...	517
The effect of exercise on urinary excretion of different-size proteins in patients with insulin- dependent diabetes mellitus: <i>L. Groop, S. Stenman, P. H. Groop, A. Mäkipernaa &</i> <i>A. M. Teppo</i> ...	525
Accuracy of pulse oximetry during moderate exercise: a comparative study: <i>J. C. Barthélémy,</i> <i>A. Geyssant, J. Riffat, A. Antoniadis, J. Berruyer & J. R. Lacour</i> ...	533
Analysis of purine nucleotides in muscle tissue by HPLC: <i>J-P. Idström, B. Soussi, E. Wanag</i> <i>& A-C. Bylund-Fellenius</i> ...	541
Prevalence of anti-insulin antibodies and its relation to severe hypoglycaemia in insulin- treated diabetic patients: <i>R. Wredling, P. E. Lins & U. Adamson</i> ...	551
Serum ferritin, iron status and plasma ascorbic acid in 40- to 49-year-old males in the Faroe Islands: <i>N. Milman, H. Thomsen & B. Mathiasen</i> ...	559
Age-associated decline of hepatic handling of cholephilic anions in humans is reverted by S-adenosylmethionine (SAME): <i>S. Gentile, M. Persico, C. Orlando, C. Le Grazie,</i> <i>C. Di Padova & M. Coltori</i> ...	565
Reference intervals for immunoglobulins IgA, IgG and IgM in serum in adults and in children aged 6 months to 14 years: <i>K. Irjala, P. Koskinen, A. Icen & T. Palosuo</i>	573
Enhanced fractional sodium reabsorption in the ischaemic kidney revisited with lithium as a probe: <i>N. E. Bruun, M. Rehling, P. Skøtt & J. Giese</i> ...	579

No. 6

Original Articles

Distribution of bronchoalveolar cells and fibronectin levels in bronchoalveolar lavage fluids from patients with lung disorders: <i>B. Nakstad, N. P. Boye & T. Lyberg</i> ...	587
Tissue protection by verapamil in the calcium paradox: <i>S. Rotevatn, G. Greve,</i> <i>A. N. Øksendal & P. Jynge</i> ...	595
The intracellular distribution of cobalt in exposed and unexposed rat myocardium: <i>N. Clyne,</i> <i>B. Persson, N. Havu, E. Hultman, L-E. Lins, S. K. Pehrsson, J. Rydström &</i> <i>R. Wibom</i> ...	605
Effect of enalapril on haemoglobin and serum erythropoietin in patients with chronic nephropathy: <i>A-L. Kamper & O. J. Nielsen</i> ...	611
Determination of fibronectin and its degradation products in bronchoalveolar lavage fluids: <i>E. Blaschke, A. Eklund & R. Hernbrand</i> ...	619
Excretion of carbonic anhydrase isozymes CA I and CA II in the urine of apparently healthy subjects and in patients with kidney disease: <i>U. Backman, B. Danielsson &</i> <i>P. J. Wistrand</i> ...	627
Diurnal and monthly intra-individual variability of the concentration of lipids, lipoproteins and apoproteins: <i>A. Wasenius, M. Stugaard, J. E. Otterstad & D. Frøyskov</i> ...	635
Automated cyanide-free method for haemoglobin determination on Technicon H-1: <i>L. Theodorsen</i> ...	643
Plasma osteocalcin: biological variations and reference limits: <i>P. Tarallo, J. Henny,</i> <i>B. Fournier & G. Siest</i> ...	649
Quantitative buffy coat analysis in haematological patients compared to standard laboratory methods: <i>T. Lindhardt Pedersen, E. Kjærsgaard & T. Plesner</i> ...	657
Ultrafiltration devices tested for use in a free thyroxine assay validated by comparison with equilibrium dialysis: <i>S. Tikanoja</i> ...	663
Correlations between psychological and physiological responses to acute flight phobia stress: <i>O. Ekeberg, S. E. Kjeldsen, D. T. Greenwood & E. Enger</i> ...	671

Compartmental analysis of short-lived platelet dynamics: <i>S. Savolainen, M. T. Syrjälä, K. Liewendahl, J. Gripenberg & U. Nieminen</i>	679
Adsorption of creatinine to Fuller's earth: <i>J. Egense, C. J. W. Koch & M. Willems</i>	687
Stanozolol and experimental atherosclerosis: atherosclerotic development and blood lipids during anabolic steroid therapy of New Zealand White rabbits: <i>M. Fogelberg, I. Björkhem, U. Diczfalusy & P. Henriksson</i>	693

No. 7

Original Articles

The secretory erythropoietin response in patients with multiple myeloma and Waldenström's macroglobulinaemia: <i>O. J. Nielsen, M. Brandt & A. Drivsholm</i>	697
Interleukin-2- and neopterin-induced neopterin release from peripheral blood mononuclear cells: <i>M. Barak, D. Merzback & N. Gruener</i>	705
Analytical goal setting prior to selection of a method for glycated haemoglobin: <i>M. Lytken Larsen, O. Blaabjerg, P. Hyltoft Petersen, H. Hansen & M. Hørder</i>	715
Determination of serum levels of unesterified lanosterol by isotope dilution-mass spectrometry: <i>E. Lund, J. Ölund & I. Björkhem</i>	723
The elimination of secretory leukocyte protease inhibitor (SLPI) after intravenous injection in dog and man: <i>M. Bergenfeldt, P. Björk & K. Ohlsson</i>	729
Impairment by glycation of immunoglobulin G Fc fragment function: <i>R. Dolhofer-Bliesener & K. D. Gerbitz</i>	739
New ergometric reference values for clinical exercise tests: <i>M. Arstila, O. Impivaara & J. Mäki</i>	747
Plasma and renal clearance of iohexol—a study on the reproducibility of a method for the glomerular filtration rate: <i>A. Arvidsson & A. Hedman</i>	757
Elimination of ¹⁴ C-glycated albumin from serum of rabbit: <i>A. Kallner</i>	763
L1, a major granulocyte protein; isolation of high quantities of its subunits: <i>H. B. Berntzen & M. K. Fagerhol</i>	769
Distribution of ethanol and water between plasma and whole blood; inter- and intra-individual variations after administration of ethanol by intravenous infusion: <i>A. W. Jones, R. G. Hahn & H. P. Stalberg</i>	775
Lactate balance in perfused rat liver: effects of glucose concentration, flow and low pH on glucose to lactate flux: <i>L. Sestoft & M. O. Marshall</i>	781
Gradual reduction of coronary perfusion pressure in cats: changes in transmural distribution of blood flow: <i>S. Birkeland, E. Hexeberg, K. Matre, P. Kvitting, J. Westby, J. Lekven & K. Grong</i>	787
Plasma volume changes during hypoglycaemia: the effect of arterial blood sampling: <i>J. Hilsted, F. Bendtsen, N. J. Christensen & J. H. Henriksen</i>	797
Different short-term effect of protein and carbohydrate intake on TSH, growth hormone (GH), insulin, C-peptide, and glucagon in humans: <i>L. E. Matzen, B. B. Andersen, B. G. Jensen, H. J. Gjessing, S. H. Sindrup & J. Kvetny</i>	801

No. 8

Original Articles

Observations on biochemical and haematological parameters in healthy people above 80 years of age: <i>B. Lantz, A. Molander & G. Nilsson</i>	807
Renal haemodynamic and sympathetic responses to head-up tilt in essential hypertension: <i>A. Westheim, I. Os, S. E. Kjeldsen, E. Føntelien & I. K. Eide</i>	815

Autonomic response to an experimental psychological stressor in healthy subjects: measurement of sympathetic, parasympathetic, and pituitary-adrenal parameters: test-retest reliability: <i>L. S. Jørgensen, P. Christiansen, U. Raundahl, S. Østgaard, N. J. Christensen, M. Fenger & Helga Flachs</i>	823
The influence of induced hyperglycaemia on gastric emptying rate in healthy humans: <i>E. Øster-Jørgensen, S. A. Pedersen & M. L. Larsen</i>	831
Plasma levels of the calcium-binding L1 leukocyte protein: standardization of blood collection and evaluation of reference intervals in healthy controls: <i>I. Dale</i>	837
Preanalytical handling of stored urine samples, and measurement of β_2 -microglobulin, orosomucoid, albumin, transferrin and immunoglobulin G in urine by enzyme-linked immunosorbent assays (ELISA): <i>E. Vittinghus</i>	843
Diurnal rhythm in serum activity of wheat-germ lectin-precipitable alkaline phosphatase: temporal relationships with the diurnal rhythm of serum osteocalcin: <i>H. K. Nielsen, K. Brixen & L. Mosekilde</i>	851
Identification and quantification of serum proteins secreted into the normal human jejunum: <i>V. Andersen & J. H. Hegnhøj</i>	857
Vascular clearance by the reticuloendothelial system—measurements using two different-sized albumin colloids: <i>S. B. Holmberg, E. Forssell-Aronsson, J. Gretarsdottir, L. Jacobsson, B. Rippe & L. Hafström</i>	865
Pyridoxine reduces cholesterol and low-density lipoprotein and increases antithrombin III activity in 80-year-old men with low plasma pyridoxal 5-phosphate: <i>L. Brattström, L. Stavenow, H. Galvard, P. Nilsson-Ehle, E. Berntorp, P. Jerntorp, S. Elmstahl & H. Pessah-Rasmussen</i>	873
A modified cytotoxicity assay with high sensitivity: <i>U. Keilholz, R. Dummer, H. Welters, B. Brado, F. Galm, P. Matheiwetz & W. Hunstein</i>	879
Performance of two agglutination techniques in the detection of thyroid antibodies and assessment of their clinical significance: <i>E. Soppi, A-M. Haapala, S. Laine & J. Salmi</i>	885
Induced hypocalcaemia controlled by a citrate clamp technique, and the intact parathyroid hormone response obtained: <i>P. Schwartz, H. A. Sørensen, I. Transbøl & P. McNair</i>	891
<i>In vitro</i> catabolism of histamine in the human stomach: <i>H. Lönroth, G. Granerus, E. Rosengren & L. Lundell</i>	899
Immunoturbidimetric determination of pregnancy-specific β_1 -glycoprotein (SP-1): <i>U. Turpeinen & U-H. Stenman</i>	907

Technical Note

Evaluation of a simple method for the screening of microalbuminuria in diabetic patients: <i>A. S. Al-Kassab</i>	913
---	-----

Letter to the Editor

Limits of lipoprotein Lp(a) detection by polyacrylamide gel electrophoresis in discontinuous gradient: <i>E. Mordelet, N. Moreau & F. Mainard</i>	917
--	-----